

IN THE UNITED STATES DISTRICT COURT
FOR THE NORTHERN DISTRICT OF CALIFORNIA

VNUS MEDICAL TECHNOLOGIES, INC.,

No. C-08-4234 MMC

Plaintiff,

v.

TOTAL VEIN SOLUTIONS, LLC, dba
TOTAL VEIN SYSTEMS,

Defendant

**ORDER DIRECTING DEFENDANT TO
SUBMIT CHAMBERS COPY IN
COMPLIANCE WITH GENERAL
ORDER 45 AND THE COURT'S
STANDING ORDERS**


On October 10, 2008, defendant electronically filed a motion to dismiss, attached to which are two affidavits and three exhibits. Defendant has violated General Order 45 and the Court's Standing Orders, however, by failing to deliver to the Clerk's Office "no later than noon on the business day following the day that the papers are filed electronically, one paper copy of each document that is filed electronically . . . marked 'Chambers Copy' and . . . clearly marked with the judge's name, case number, and 'Chambers Copy-Do Not File.'" See General Order 45 § VI.G; see also Standing Orders for Civil Cases Assigned to the Honorable Maxine M. Chesney ¶ 2.

Defendant is hereby ORDERED to comply with General Order 45 and the Court's Standing Orders by immediately submitting a chambers copy of the above-referenced motion and attachments thereto. Defendant is hereby advised that if it fails in the future to

1 comply with General Order 45 and the Court's Standing Order to provide a chambers copy
2 of each electronically-filed document, the Court may impose sanctions, including, but not
3 limited to, striking from the record any electronically-filed document of which a chambers
4 copy has not been timely provided to the Court.

5 **IT IS SO ORDERED.**

6
7 Dated: October 20, 2008


MAXINE M. CHESNEY
United States District Judge